
# Garden Rollaway 4000 Table Tennis Table Assembly Instructions




#### **PARTS LIST**



- 1. TABLE TOP 4 MM MELAMINE BOARD- 2 NOS.
- 2. END FRAME PIPE 2 NOS.
- 3. SIDE FRAME PIPE 4 NOS.
- 4. INNER FRAME PIPE 2 NOS.
- 5. SMALL & NEER FRAME PIPE 2 NOS.
- 6. OUTER LEG 2 NOS.
- 7. INNER LEG 2 NOS.
- 8. LONG BRACE SUPPORT- 4 NOS.
- 9. WHEEL ASSEMBLY- 4NOS.
- 10. SET OF 8 WHEELS 2 LOCK WHEELS
- 11. WHEEI AXLE 8 NOS.
- 12. HEX SOCKET 2 NOS.
- 13. XXXXXXX
- 14. BOLTS FOR OUTER/INNER LEG 8 NOS.
- 15. BOLTS FOR LONG BRACE SUPPORT FIXED TO OUTER/INNER LEG 6 NOS.
- 16. BOLTS FOR SIDE LOCK ATTACHED TO OUTER LEG WITH NUT WASHER AND BHOGLI 2NOS.

- 17. BOLTS FOR SIDE LOCK ATTACHED TO BRACKET 2 NOS.
- 18. DOME NUT 8 NOS.
- 19. OUTER CORNER 4 NOS.
- 20. SET OF POST CORNER 2 NOS.
- 21. LEVELLERS 4 NOS.
- 22. CENTRE LOCK 2 NOS.
- 23. SIDE LOCK 2 NOS.
- 24. PLASTIC CAPS FOR INNER FRAME PIPE 8 NOS.
- 25 WHEEL ASSEMBLY CAP 8 NOS.
- 26. NET POST SET 1 NOS.
- 27. BOLTS TO ATTACHED WHEEL ASSEMBLY( P9) WITH INNER LEG (P7) 8 NOS.
- 28. SPARE NET 1 NOS.
- 29. SPANNER 2 NOS.
- 30. NUT AND BOLT 4 NOS.

#### Wheel Part











#### Wheel Assembly Instructions

#### **STEP - 1**





ATTACH (P10) WITH WHEEL ASSEMBLY (P9) WITH THE HELP OF (P11) & TIGHTEN IT WITH THE HELP OF HEX SOCKET (P12) AND COVER THE NUT & BOLT AREA WITH THE HELP OF (P25) & MAKE SURE NUT IS NOT TIGHTEN TO MUCH SO THAT PART (P10) STOP ROTATING.











P-29 - 7.5/6 MM - QTY. - 2

P-9 - 510×260×30×20 MM - QTY. - 4

#### **ADULT ASSEMBLY REQUIRED**

PLEASE READ THE SAFETY INSTRUCTIONS AT THE BOTTOM OF PAGE- 4

#### **STEP - 2**







CAREFULLY LIFT THE TABLE TOP HALF TO ATTACH WHEEL ASSEMBLY (P9) WITH INNER LEG (P7) USING NUT & BOLT  $38\times6$ MM AND TIGHTEN IT WITH THE HELP OF TWO SPANNERS (P29).

#### STEP-3





SLIGHTLY PULL OUT THE OUTER LEGS(P6) & PUSH OPEN THE TABLE SLIGHTLY BY OPENING CENTRE LOCK (P22).

#### STEP-4






NOW SLIGHTLY PULL OUT THE SIDE LOCK (P23) & SLOWLY BRING DOWN THE TABLE

STEP-5

REPEAT THE SAME FOR THE 2ND HALF OF THE TABLE AS IN STEP- 1, 2, 3 & 4,5

#### STEP-6



ATTACH POSTS TO THE LEFT AND RIGHT SIDE OF THE TABLE.

#### STEP-7



PLACE NET ONTO POSTS, FEED STRING THROUGH GROOVES.

ADJUST TENSION OF THE NET WITH THE PLASTIC STRIP

**STEP- 8** ADJUST THE HEIGHT REQUIRED WITH THE HELP OF LEVELLERS (P21) ATTACHED ON ALL 4 OUTER LEGS (P6).

## YOUR TABLE IS NOW READY FOR PLAY STORING THE TABLE

#### STEP-1







PULL OUT THE SIDE LOCK (P23) TO LIFT THE TABLE ON THE WHEELS. MAKE SURE THAT LOCK (P22) IS LOCKED PROPERLY FOR STORAGE

**STEP- 2** REPEAT THE SAME FOR THE 2ND HALF.

<u>Safety Instructions:</u> "Children under 14 years of age should not be allowed to roll out the table, unlock it and place it in the playing position, or close the table and return it to the storage position. When lowering each half of the table top, make sure that the outer legs P6 are pulled gently away from the underside of the table. This table is suitable for both indoor and outdoor use. As far as possible the table should be stored indoors. Always cover the table when not in use. Check the wheel brakes are off when moving the table and they are on again when the table is in the play and storage position"