

Active 19 Table Tennis Table Assembly Instructions



PARTS LIST








- 1. TABLE TOP 19MM INDOOR 1525×1370×19MM 2 NOS.
- 2. END FRAME PIPE -1490×20×30MM 2 NOS.
- 3. SIDE FRAME PIPE 1310×20×30MM 4 NOS.
- 4. INNER FRAME PIPE -1050×20×30MM 2 NOS.
- 5. OUTER LEG 1090×720×30×20MM 2 NOS.
- 6. INNER LEG -1220×510×30×20MM 2 NOS.
- 7. LONG BRACE SUPPORT 665×25×10MM 4 NOS.
- 8. WHEEL ASSEMBLY- 510×260×30×20MM 4NOS.
- 9. SET OF 8 WHEELS 75 MM WITH 2 LOCK WHEELS
- 10. BRACKETS FOR OUTER/INNER LEG 75×27MM 16 NOS.
- 11. BRACKETS FOR FRAME PIPE 38MM SQ 16 NOS.
- 12. BOLTS FOR OUTER/INNER LEG 38×6MM 8 NOS.
- 13. BOLTS FOR LONG BRACE SUPPORT FIXED TO OUTER/INNER LEG 32×6MM 4 NOS / 38×6MM 4 NOS.
- 14. BOLTS FOR SIDE LOCK ATTACHED TO OUTER LEG 50×6MM WITH NUT WASHER AND BHOGLI 2NOS.

- 15. BOLTS FOR SIDE LOCK ATTACHED TO BRACKET 38×6MM 2 NOS.
- 16. DOME NUT 10MM- 8 NOS.
- 17. OUTER CORNER 40MM 4 NOS.
- 18. LEVELLERS 30×20MM CAPSULE 4 NOS.
- 19. PLASTIC CAPS FOR INNER FRAME PIPE 20×30MM- 8 NOS.
- 20. CENTRE LOCK 2 NOS.
- 21. SIDE LOCK 2 NOS.
- 22. WHEEL ASSEMBLY CAP 30×20MM 8 NOS.
- 23. NET POST SET 1 NOS.
- 24. SPARE NET 1 NOS.
- 25. SCREW FOR BRACKETS ON TOP 6/95- 342 NOS.
- 26. SCREW FOR OUTER CORNER 8/13 CSK- 12 NOS.
- 27. BOLT TO ATTACH WHEEL ASSEMBLY (P8) WITH INNER LEG (P6) 38×6MM 8 NOS.
- 28. SPANNER 7.5/6MM 2 NOS.




P-28 - 7.5/6 MM - QTY. - 2

P-8 - 510×260×30×20 MM - QTY. - 4

ADULT ASSEMBLY REQUIRED

PLEASE READ THE SAFETY INSTRUCTIONS AT THE BOTTOM OF PAGE- 4

STEP - 1










CAREFULLY LIFT THE TABLE TOP HALF TO ATTACH WHEEL ASSEMBLY (P8) WITH INNER LEG (P6) USING NUT & BOLT 38×6 MM AND TIGHTEN IT WITH THE HELP OF TWO SPANNERS (P28).

STEP-2





SLIGHTLY PULL OUT THE OUTER LEGS(P5) & PUSH OPEN THE TABLE SLIGHTLY BY OPENING CENTRE LOCK (P20).

STEP-3






NOW SLIGHTLY PULL OUT THE SIDE LOCK (P21) & SLOWLY BRING DOWN THE TABLE

STEP-4

REPEAT THE SAME FOR THE 2ND HALF OF THE TABLE AS IN STEP- 1, 2 & 3

STEP-5



ATTACH POSTS TO THE LEFT AND RIGHT SIDE OF THE TABLE.

<u>STEP- 6</u>



PLACE NET ONTO POSTS, FEED STRING THROUGH GROOVES.

ADJUST TENSION OF THE NET WITH THE PLASTIC STRIP

STEP-7 ADJUST THE HEIGHT REQUIRED WITH THE HELP OF LEVELLERS (P18) ATTACHED ON ALL 4 OUTER LEGS (P5).

YOUR TABLE IS NOW READY FOR PLAY STORING THE TABLE

STEP-1







PULL OUT THE SIDE LOCK (P21) TO LIFT THE TABLE ON THE WHEELS. MAKE SURE THAT LOCK (P20) IS LOCKED PROPERLY FOR STORAGE

STEP- 2 REPEAT THE SAME FOR THE 2ND HALF.

<u>Safety Instructions:</u> Children below 14 years should not assemble the table. When lowering each half of the table top, make sure that the outer legs P5 are pulled gently outwards from the underside of the table, so far as they can go. Failure to do this may result in injury or damage to the table. This table is suitable for indoor use. It can be used outdoors provided that it is not exposed to direct sunlight rain or frost. It should always be stored indoors. Make sure that the wheel brakes are off when moving the table and are on when the table is stored or in the play position.