




Junior Rollaway Table Tennis Table Assembly Instructions



PARTS LIST








- 1. TABLE TOP LAMINATED BOARD- 1030×1145×12MM 2 NOS.
- 2. END FRAME PIPE -1091×23×17MM 2 NOS.
- 3. SIDE FRAME PIPE 960×23×17MM 4 NOS.
- 4. INNER FRAME PIPE 600×23×17MM 2 NOS.
- 5. OUTER LEG 910×710×30×15MM 2 NOS.
- 6. INNER LEG -790×350×30×15MM 2 NOS.
- 7. LONG BRACE SUPPORT 480×20×10MM 4 NOS.
- 8. WHEEL ASSEMBLY- 460×418×30×15MM 4NOS.
- 9. SET OF 8 WHEELS 50 MM WITH 2 LOCK WHEELS
- 10. BRACKETS FOR OUTER/INNER LEG 75×18MM 16 NOS.
- 11. BRACKETS FOR FRAME PIPE 32MM² 16 NOS.
- 12. BRACKETS FOR SIDE LOCK 75×18MM 4NOS.
- 13. BOLTS FOR OUTER/INNER LEG 38×6MM 8 NOS.
- 14. BOLTS FOR LONG BRACE SUPPORT FIXED TO OUTER/INNER LEG 32×6 4 NOS. & 38×6 4 NOS.
- 15. BOLTS FOR SIDE LOCK ATTACHED TO OUTER LEG 50×6MM WITH NUT WASHER AND BHOGLI 2NOS.

- 16. BOLTS FOR SIDE LOCK ATTACHED TO BRACKET 38×6MM 2 NOS.
- 17. DOME NUT 10MM- 8 NOS.
- 18. OUTER CORNER 35MM 4 NOS.
- 19. SET OF POST CORNER 2 NOS.
- 20. LEVELLERS 25×15MM CAPSULE 4 NOS.
- 21. CENTRE LOCK 2 NOS.
- 22. SIDE LOCK 2 NOS.
- 23. PLASTIC CAPS FOR INNER FRAME PIPE 23×17MM 8 NOS.
- 24. WHEEL ASSEMBLY CAP 30×20MM 8 NOS.
- 25. NET POST SET 1 NOS.
- 26. BOLTS TO ATTACHED WHEEL ASSEMBLY(P9) WITH INNER LEG (P7) 32×6MM 8 NOS.
- 27. SPANNER 7.5/6MM 2 NOS.



P-27 - 7.5/6 MM - QTY. - 2

P-8 - 460×418×30×15 MM - QTY. - 4


ADULT ASSEMBLY REQUIRED

PLEASE READ THE SAFETY INSTRUCTIONS AT THE BOTTOM OF PAGE- 4


STEP - 1







CAREFULLY LIFT THE TABLE TOP HALF TO ATTACH WHEEL ASSEMBLY (P8) WITH INNER LEG (P6) USING NUT & BOLT 32×6MM AND TIGHTEN IT WITH THE HELP OF TWO SPANNERS.



STEP-2





SLIGHTLY PULL OUT THE OUTER LEGS (P5) & PUSH OPEN THE TABLE SLIGHTLY BY OPENING CENTRE LOCK (P21).

STEP-3





NOW SLIGHTLY PULL OUT THE SIDE LOCK (P22) & SLOWLY BRING DOWN THE TABLE

STEP-4 REPEAT THE SAME FOR THE 2ND HALF OF THE TABLE AS IN STEP-1, 2, & 3

STEP-5



Attach posts to the left and right side of the table.

STEP-6



Place net onto posts, feed string through grooves.

Adjust tension of the net with the chains.

STEP- 7 ADJUST THE HEIGHT REQUIRED WITH THE HELP OF LEVELLERS (P20) ATTACHED ON ALL 4 OUTER LEGS (P5).

YOUR TABLE IS NOW READY FOR PLAY

STEP-1



STORING THE TABLE





PULL OUT THE SIDE LOCK (P22) TO LIFT THE TABLE ON THE WHEELS. MAKE SURE THAT LOCK (P21) IS LOCKED PROPERLY FOR STORAGE

STEP-2 REPEAT THE SAME FOR THE 2ND HALF.

<u>Safety Instructions:</u> When lowering each half of the table top, make sure that the outer legs P5 are pulled gently outwards from the underside of the table, so far as they can go. Failure to do this may result in injury or damage to the table. This table is suitable for indoor use. It can be used outdoors provided that it is not exposed to direct sunlight, rain or frost. It should always be stored indoors. Make sure that the wheel brakes are off when moving the table and are on when the table is stored or in the play position.